


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY

[Feedback](#)

nishiyama estimation

Four

Terms used: [nishiyama estimation](#)Sort
results by

relevance

[Save results to a Binder](#)
 Refine these results with [Advanced Search](#)
Display
results

expanded form

[Open results in a new window](#)Try this search in [The ACM Guide](#)

Results 1 - 8 of 8

1 [Bilinear Discriminant Component Analysis](#)

Ads by

Mads Dyrholm, Christoforos Christoforou, Lucas C. Parra

October 2007 The Journal of Machine Learning Research, Volume 8

Publisher: MIT Press

Full text available: [pdf\(690.91 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 4, Downloads (12 Months): 38, Citation Count: 0

Factor analysis and discriminant analysis are often used as complementary approaches to identify linear components in two dimensional data arrays. For three dimensional arrays, which may organize data in dimensions such as space, time, and trials, the ...

 Online
Full-text
available
at Qu
Librar
www.Q

2 [Bilinear Discriminant Component Analysis](#)

Mads Dyrholm, Christoforos Christoforou, Lucas C. Parra

May 2007 The Journal of Machine Learning Research, Volume 8

Publisher: MIT Press

Full text available: [pdf\(690.84 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 5, Downloads (12 Months): 83, Citation Count: 0

Factor analysis and discriminant analysis are often used as complementary approaches to identify linear components in two dimensional data arrays. For three dimensional arrays, which may organize data in dimensions such as space, time, and trials, the ...

 IEEE
Rada
proce
educ
in 12
bm23.c

 Jour
Find
Rese
Sourc
For F
www.H

3 [Estimating software size with UML models](#)



Ghislain Levesque, Valery Bevo, De Tran Cao

May 2008 C3S2E '08: Proceedings of the 2008 C³S²E conference

Publisher: ACM

Full text available: [pdf\(170.63 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 0, Citation Count: 0

Function points have been used for more than 25 years for estimating software size and building productivity models. Today, three methods to do it are accepted as ISO standards. The theory behind this type of measurement is more explicit but none of ...

 Char
Robo
Let o
you w
"real
your
www.O

Key words: UML sequence diagram, UML use case, function point, productivity model,

software size estimation

4 [Proceedings of the 43rd annual conference on Design automation](#)



Ellen M. Sentovich

July 2006 proceeding

Publisher: ACM

Additional Information: [full citation](#), [abstract](#)

Bibliometrics: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Citation Count: 0

We are pleased to report that on this 29th Anniversary of SIGIR, the Conference of Research and Development on Information Retrieval has attracted a record-breaking number of papers. There were 399 paper submissions representing the work of IR researchers ...

5 [RaceTrack: efficient detection of data race conditions via adaptive tracking](#)



Yuan Yu, Tom Rodeheffer, Wei Chen

October 2005 SOSP '05: Proceedings of the twentieth ACM symposium on Operating systems principles

Publisher: ACM

Full text available: pdf(321.34 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 12, Downloads (12 Months): 150, Citation Count: 11

Bugs due to data races in multithreaded programs often exhibit non-deterministic symptoms and are notoriously difficult to find. This paper describes RaceTrack, a dynamic race detection tool that tracks the actions of a program and reports a warning ...

Keyw ords: race detection, virtual machine instrumentation

6 [Parallel execution of prolog programs: a survey](#)



Gopal Gupta, Enrico Pontelli, Khayri A.M. Ali, Mats Carlsson, Manuel V. Hermenegildo
July 2001 ACM Transactions on Programming Languages and Systems (TOPLAS),
Volume 23 Issue 4

Publisher: ACM

Full text available: pdf(1.95 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 7, Downloads (12 Months): 138, Citation Count: 10

Since the early days of logic programming, researchers in the field realized the potential for exploitation of parallelism present in the execution of logic programs. Their high-level nature, the presence of nondeterminism, and their referential transparency, ...

Keyw ords: Automatic parallelization, constraint programming, logic programming, parallelism, prolog


7 [RaceTrack: efficient detection of data race conditions via adaptive tracking](#)



Yuan Yu, Tom Rodeheffer, Wei Chen

October 2005 ACM SIGOPS Operating Systems Review, Volume 39 Issue 5

Publisher: ACM

Full text available:  pdf(321.34 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 12, Downloads (12 Months): 150, Citation Count: 11

Bugs due to data races in multithreaded programs often exhibit non-deterministic symptoms and are notoriously difficult to find. This paper describes RaceTrack, a dynamic race detection tool that tracks the actions of a program and reports a warning ...

Key words: race detection, virtual machine instrumentation


8 [Who's asking for help?: a Bayesian approach to intelligent assistance](#)



Bowen Hui, Craig Boutilier

January 2006 | UI '06: Proceedings of the 11th international conference on Intelligent user interfaces

Publisher: ACM

Full text available:  pdf(479.65 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 5, Downloads (12 Months): 72, Citation Count: 0





Automated software customization is drawing increasing attention as a means to help users deal with the scope, complexity, potential intrusiveness, and ever-changing nature of modern software. The ability to automatically customize functionality, interfaces, ...

Key words: dynamic Bayesian networks, intelligent assistance, user modeling

Results 1 - 8 of 8

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)